

EU-TYPE EXAMINATION CERTIFICATE The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements. Certificate N° 0075/797/162/03/19/1022 Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment : Manufacturer : HONEYWELL SAFETY PRODUCTS EUROPE Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 France Description **PPE Type :** protective glove against mechanical risks, chemical risks, microorganisms risks **Product reference :** LA132G **Glove description :** Green Nitrile Glove, 15 mil (0.38 mm) thick film, 13 in (330 mm) length,flock interior Available sizes : 7S 8M 9L 10XL 11XXL Pictures : Address: Honeywell HONEYWELL SAFETY PRODUCTS EUROPE Immeuble Edison ZI-Paris Nord II Nitri Guard Plus 33 Rue des Vanesses 95 958 ROISSY CDG CEDEX LA132G XX France EN 420 EN 388 EN 150 374-1 EN 150 374-5

Address has to be printed on back side of the gloves or on a label inside the gloves

Levels of performance / class of protection

(D)

EN 420:2003+A1:2009

Reference standard :

EN 388:2016

3101X

« X »indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

EN ISO 374-5:2016	MICRO-ORGANISMS
EN ISO 374-1:2016	Туре А
	JKLOPT

CE ours i

(止)

This product is a category III (letal or irreversible risk). This certificate shall only be used in conjuncture with the conformity assessment procedure according to module C2 (CTC 0075)

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from March 2019

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

Issued in Lyon by Lionel GAUDILLERE PPE Certification Manager

Date of first issue : 28 March 2019 End of validity date : 28 March 2024



Original CTC

In application of the Regulation 2016/425 of the Europear parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroguinerie Ganterie Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

HONEYWELL SAFETY PRODUCTS EUROPE

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	LA132G
Article code	:	
Technical file index	:	01
Last update	:	March 2019

IDENTIFICATION

Reference of the product : Article code :	:	LA132G
Basic Model		
Technical file index :	:	01
Last update :	:	March 2019

Manufacturer :

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX

France

tel : 01.49.90.79.79 fax : 01.49.90.79.80

Factory :

Beijing Huateng Rubber Plastic & Latex

6 Xingguang St. 5, Optical, Mechanical And Electronic Integration Ind. Zone, East Beishenshu Village, Taihu Town, Tongzhou Dist. 101111 Beijing

CHINA

tel:

fax:

GLOVE DESCRIPTION

General glove description :

Green Nitrile Glove, 15 mil (0.38 mm) thick film, 13 in (330 mm) length, flock interior

type of coating finish : no coating

Visual description (picture back and palm sides) :



Field of use

Automotive assembling, degreasing, and painting, chemical handling and processing, graphic arts and print shop cleanup

	Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)				
		Applicable	Covered by		
		I	✓ Standard		
§1	Requirements defined in the Annex II §1 are applicable to all PPE		✓ Instruction for use		
			✓ Marking		
			Standard		
§1.4	Manufacturer's instructions and information is available	~	✓ Instruction for use		
			Marking		
	PPE which may be caught up during use		Standard		
§2.5			✓ Instruction for use		
			Marking		
	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	7	✓ Standard		
§2.12			✓ Instruction for use		
	indirectly relating to nearth and safety		✓ Marking		
			✓ Standard		
§2.14	Multi-risk PPE		✓ Instruction for use		
			✓ Marking		
			✓ Standard		
§3.3	The PPE is intended to protect against mechanical injuries		✓ Instruction for use		
			✓ Marking		
	PPE intended to protect against substances and mixtures which are hazardous	N	✓ Standard		
§3.10.2			✓ Instruction for use		
	to health and against harmful biological agents - Cutaneous contact		✓ Marking		

Available sizes :

Minimum length of glove (mm) Minimum width of glove (mm)	Sizes
320/ 175	7S
325/ 200	8M
330/ 230	9L
335/ 250	10XL
340/ 270	11XXL

Glove constitution :

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm	2923002	Natural	Cotton Flock	10.5 g/m2		0.1 mm
Faim	2930111	Green	Nitrile	360 g/m2		0.33-0.43 mm
Back	2923002	Natural	Cotton Flock	10.5 g/m2		0.1 mm
Dack	2930111	Green	Nitrile	360 g/m2		0.33-0.43 mm
0 "	2923002	Natural	Cotton Flock	10.5 g/m2		0.1 mm
Cuff	2930111	Green	Nitrile	360 g/m2		0.33-0.43 mm

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed for against mechanical risks, chemical risks, microorganisms risks.

It is a category III product, module C2

Notified Body Reference : CTC (0075)

4 Rue Hermann Frenkel, 69367 Lyon cedex 07- France

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

5

Dexterity :

Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2016

Protection offered	Performance levels
Abrasion resistance	3
Blade cut resistance	1
Tear strength resistance	0
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	Х
Impact Protection	-

The levels of performance have been measured on the palm

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

Chemical hazard EN 374-2 : 2014

Protection offered	Performance levels
Water tighness	conform
Air tighness	conform

Chemical hazard EN ISO 374-1 : 2016

Type : Type A

Tested chemical :	CAS N°	Letter	Permeation performance levels:	Degradation value:
n-Heptane	142-82-5	J	6	-14.0%
Sodium hydroxide 40%	1310-73-2	K	6	-18.8%
Sulphuric acid 96%	7664-93-9	L	2	81.4%
Ammonium hydroxide 25%	1336-21-6	0	3	-6.2%
Hydrogen peroxide 30%	7722-84-1	Р	6	-3.5%
Formaldehyde 37%	50-00-0	Т	6	7.4%

Microorganism EN ISO 374-5 : 2016

This glove protect against microorganism

Uncontrolled against viruses

TEST REPORTS

Laboratory	CTC	Other
	L180304439_1 L180304446_1 L170815743_1	
EN 388	L170304076_1, L160100142_2	
EN 374-4	L161221437_1 L180815593_2	
EN 16523-1	L160609697_1 L160712935_1 L180815594_2 L160100142_2	
Other	L180304446_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer : Logo (Glove's reference : LA132G Article Code : Size indicator Pictograms related to risks against which protection is offered with performance levels Information pictogram Address of Manufacturer : Date of Manufacture (month/year) and/or Serial number :

Marking example :





Method of marking on the glove :

Ink Stamp on Glove

Packaging :

12 pair per bag, 12 bags (144 pair) per box

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

Declaration of conformity :

Available on : https://doc.honeywellsafety.com/

MEANS OF CONTROL

Final Inspection : in accordance to ISO 2859 level 2. Major defects : NQA = 0,65 / Minor defects : NQA = 0,65.

Sampling Plan		Quantity of acceptable defects		
Lot Quantity	Sample Quantity	Minor Defects	Major Defects	
110 to 200	D 8	2	0	
201 to 500	F 20	5	1	
501 to 1200	G 30	7	1	
1201 to 10000	J 80	14	3	
10000	K 125	21	5	